Mecklenburg County Public Health Swimming Pool Fence and Gate Guide

Swimming Pool – Fence and Gate Requirements

Shall be at least 48" in height measured from the outside of the fence from ground Distance between vertical members – 4" or less	
	ce from bottom horizontal measured to next horizontal must be 45" or greater
0	Pools built prior to 2010, distance may be no less than 30"
Gates	
0	Shall swing away from the pool
0	Must be self-latching, self-closing
0	Gates built prior to 2010, may swing towards the pool where topography,
	landscape or emergency egress may prevent the gate from swinging away from
	the pool
0	Shall meet all the requirements of the fencing rule including but not limited to 48"
	in height, 2" or less underneath, 45" between horizontals, 4" between vertical
	members, etc.
Gate L	Latches
0	54" measured from ground to bottom of latch;
0	If self-latching device is less than 54", the latch shall be located on the inside of
	the gate at least 3" below the top of the gate with no greater than ½" within 18" of
	the latch mechanism (mesh $-\frac{1}{2}$ " x $\frac{1}{2}$ " or less required); or
0	Use of combination or card reader
Doors	- Doors leading on to pool deck must be self-latching, self-closing or protected by
	e alarm
Windo	ows – Ground level windows shall be protected by audible alarm or may not open
	r than 4" on to pool deck
	Link Fence – Mesh size must be 2.25" square
	olds – Anything located on the gate/fence or directly outside the gate/fence less
	5" that someone can stand on to get over the fence (>1/2" protrusions)
	ce Under Fence – measured from the outside of the fence
	2" for pools built after 2010
	4" or less for pools built prior to 2010
O	T of 1635 for pools built prior to 2010

Note:

All pools built after 2010 must be in compliance with **all** items above. These items are 4-point demerits and warrant failure of pre-permit inspection or issuance of Intent to Suspends.

All pools built prior to 2010 must be in compliance with items Gates, Gate Latches, Doors and Windows. These items are 4-point demerits and warrant failure of pre-permit inspections or issuance of Intent to Suspends. All other items are items warrant demerits but no permit action shall be taken.

Mecklenburg County Public Health Wading Pool Fence and Gate Guide

Wading Pool – Fence Gate Requirements

Shall be at least 48" in height measured from the outside of the fence from ground	
 Wading pools built prior to 2000 may be 36" or greater in height measured from 	
outside of fence	
Distance between vertical members – 4" or less	
Distance from bottom horizontal measured to next horizontal must be 45" or greater	
 Pools built prior to 2010, distance may be no less than 30" 	
Gates	
 Shall swing away from the large pool, opening into the wading pool 	
 Must be self-latching, self-closing 	
 Shall meet all the requirements of the fencing rule including but not limited to 48" 	
in height, 2" or less underneath, 45" between horizontals, 4" between vertical	
members, etc.	
Gate Latches	
 54" measured from ground to bottom of latch; 	
o If self-latching device is less than 54", the latch shall be located on the inside of	
the gate at least 3" below the top of the gate with no greater than ½" within 18" of	
the latch mechanism (mesh $-\frac{1}{2}$ " x $\frac{1}{2}$ " or less required); or	
 Use of combination or card reader 	
Doors – Doors leading on to deck must be self-latching, self-closing or protected by	
audible alarm	
Windows – Ground level windows shall be protected by audible alarm or may not open	
greater than 4" on to pool deck	
Chain Link Fence – Mesh size must be 2.25" square	
Footholds – Anything located on the gate/fence or directly outside the gate/fence less	
than 45" that someone can stand on to get over the fence (>1/2" protrusions)	
Distance Under Fence – measured from the outside of the fence	
o 2" for pools built after 2010	
 4" or less for pools built prior to 2010 	

Note:

All wading pools regardless of date of construction must be in compliance with all items above. These items are 4-point demerits and warrant failure of pre-permit inspection or issuance of Intent to Suspends.